

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	huntzicker-fred\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:40
S4	25	("4786900").URPN.	USPAT	OR	ON	2005/05/12 17:42
S3	27	S2 and (((key adj fob) transmitter) with (code password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:44
S7	15	("4812841").URPN.	USPAT	OR	ON	2005/05/12 17:52
S8	251	(RKE (remote adj keyless)) and (((key adj fob) transmitter) with (code password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:54
S5	88	(RKE (remote adj keyless)) and (((key adj fob) transmitter) with (code password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:54
S11	1	(key adj fob) with (code password) with ((power on off) adj (switch button key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:57
S9	6	(RKE (remote adj keyless) keyless) and ((key adj fob) transmitter) with (code password) with ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:58
S13	19	S6 and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:59
S6	54	((key adj fob) transmitter) with (code password) with ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:59
S14	4	("3891980" "4189712" "4353064" "4573046").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/12 18:02
S15	53	("4353064").URPN.	USPAT	OR	ON	2005/05/12 18:03

S12	6	(RKE (remote adj (keyless (key adj less))) keyless) and ((key adj fob) transmitter) with (code password) with ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:04
S17	21	((key adj fob) transmitter) with (pin (personal adj (ID identification identity) adj number)) with ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:05
S19	6	("5623552" "5770849" "5872834" "6038666" "6040783" "6084968").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/12 18:06
S18	4	(RKE (remote adj (keyless (key adj less))) keyless) and (personal adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:06
S2	261	340/5.54.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:07
S20	18	S2 and ((on (on adj off) power) adj (switch key button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:16
S22	40	Kita-Kazunori\$.in. and portable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:17
S21	162	Kita-Kazunori\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:17
S24	58	340/5.85.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:20
S23	7	("5229764" "5867795" "5917913" "6104922" "6256737" "6346886" "6507662").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/12 18:20

S26	1	S24 and fob	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:21
S25	47	S24 and (key fob)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:21
S29	206	brinkmeyer.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:27
S30	1107	(key fob transmitter) with (user adj (verification authentication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:28
S28	29	S27 and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:28
S27	169	(key fob transmitter) with (code password) with ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:28
S32	23	340/5.54.ccls. and 340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:36
S31	100	S30 and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:36
S33	176	("4754255").URPN.	USPAT	OR	ON	2005/05/12 18:42
S37	7	vehicle same ((fob key transmitter) with ((alphanumeric (alpha adj numeric)) adj keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:43
S35	675	key with ((alphanumeric (alpha adj numeric)) adj keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:43

S39	15	("4197497" "4356519" "4360808" "4677657" "4839749" "4873520" "4904983" "4940964" "5193215" "5245694" "5495357" "5500636" "5889472" "5903871" "5940007").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 10:46
S40	9	("20020053857" "20030210131" "5163094" "5719950" "6038666" "6104922" "6173068" "6532298" "6657538").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 10:47
S38	42	yang-clara.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:49
S41	3	((password near2 protected) with ((key adj fob) transmitter)) same vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:51
S44	310	((key adj fob) transmitter fob remote key) with (enter input) near2 (password code ID)) same vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:52
S43	8523	((key adj fob) transmitter fob remote key) with (enter input) near2 (password code ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 10:52
S45	176	("4754255").URPN.	USPAT	OR	ON	2005/05/16 10:54
S46	4	("5955981").URPN.	USPAT	OR	ON	2005/05/16 11:01
S42	3	((password near2 protected) with ((key adj fob) transmitter remote)) same vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:31
S48	4	("4742327" "4754255" "4887064" "5790043").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 11:44
S50	9	("20020053857" "20030210131" "5163094" "5719950" "6038666" "6104922" "6173068" "6532298" "6657538").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 12:15

S51	11	("4159467" "5079435" "5349329" "5412378" "5539260" "5552789" "5595257" "5659291" "5736935" "5793306" "6064298").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 12:17
S49	75	((user adj (identification authentication validation)) with (transmitter remote key fob)) same vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:18
S54	25	S52 and "340"/5.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:19
S53	190	S52 and "340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:19
S55	4	("5955981").URPN.	USPAT	OR	ON	2005/05/16 12:21
S56	11	((power on off) adj (switch button key)) with (transmitter remote key fob)) same (keyless adj (entry security))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:23
S57	5	("5874785").URPN.	USPAT	OR	ON	2005/05/16 12:37
S58	2	("6376930").URPN.	USPAT	OR	ON	2005/05/16 12:38
S52	734	((power on off) adj (switch button key)) with (transmitter remote key fob)) same vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:49
S47	37	((user adj (identification authentication validation)) with ((key adj fob) transmitter remote)) same vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:49
S61	176	("4754255").URPN.	USPAT	OR	ON	2005/05/16 12:50
S60	34	S59 and ((user owner operator) adj (identification authentication validation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:50
S62	15	("4963876").URPN.	USPAT	OR	ON	2005/05/16 12:51
S63	75	("5278547").URPN.	USPAT	OR	ON	2005/05/16 12:54

S59	473	340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 13:05
S64	176	("4754255").URPN.	USPAT	OR	ON	2005/05/16 13:07
S65	16	("4806745").URPN.	USPAT	OR	ON	2005/05/16 13:29
S66	25	("4864115").URPN.	USPAT	OR	ON	2005/05/16 13:36
S67	2	"5077831".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:11
S68	8	("5077831").URPN.	USPAT	OR	ON	2005/05/16 14:12
S69	19	("3699359" "4205325" "4232289" "4638292" "4673914" "4786900" "5077831" "5134392" "5252960" "5467080" "5525992" "5563600" "5760701" "5835868" "5903216" "5917165" "5917405" "5940007" "5973677").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 14:41
S70	25	("4786900").URPN.	USPAT	OR	ON	2005/05/16 14:43
S71	5	("4247850" "4463340" "4529980" "4786900" "4878052").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 14:58
S73	1	340/825.\$ccls. and ((user owner) near3 (verifies verifying verification authenticate authenticating authentication validates validation)) same ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:01
S72	4	(remote key fob transmitter) with ((user owner) near3 (verifies verifying verification authenticate authenticating authentication validates validation)) same ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:01
S74	8	(remote key fob transmitter) with ((user owner) near3 (password (personal adj identification adj number) PIN)) same ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:02

S76	48	lambropoulos.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:06
S75	6	("4337463" "5045839" "5542100" "5852401" "5890061" "5990793").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 15:06
S77	109	("4881148").URPN.	USPAT	OR	ON	2005/05/16 15:09
S78	14	(US-20020091484-\$ or US-20030034881-\$ or US-20050040933-\$ or US-20050088280-\$).did. or (US-4754255-\$ or US-4786900-\$ or US-4806745-\$ or US-5077831-\$ or US-5442341-\$ or US-5689142-\$ or US-5955981-\$ or US-6617975-\$ or US-6771163-\$).did. or (GB-2290435-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/05/17 15:04
S79	7	S78 and ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:07
S81	15	S80 and (fob key transmitter transmitting) with ((power on off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:08
S83	214	307/10.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:10
S82	7	S80 and (fob key transmitter transmitting) with ((power (on adj off)) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:10
S86	1137	341/173.ccls. 341/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:13
S85	6	S83 and (fob key transmitter transmitting) with ((power (on adj off)) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:13

S90	4	S88 and (rke (remote adj keyless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:35
S87	16	S86 and (fob key transmitter transmitting) with ((power (on adj off)) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:35
S92	1	fob with ((power (on adj off)) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:36
S89	436	S88 and (vehicle rke (remote adj keyless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:36
S94	1	S93 and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:37
S93	11	(fob key transmitter transmitting) with ((on adj off) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:37
S91	435	S88 and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:37
S88	3071	(fob key transmitter transmitting) with ((power (on adj off)) adj (switch button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:37
S80	474	340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:35
S95	4	340/5.85.ccls. and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:36

S96	17	(US-20020091484-\$ or US-20030034881-\$ or US-20050040933-\$ or US-20050088280-\$ or US-20030231550-\$).did. or (US-4754255-\$ or US-4786900-\$ or US-4806745-\$ or US-5077831-\$ or US-5442341-\$ or US-5689142-\$ or US-5955981-\$ or US-6617975-\$ or US-6771163-\$ or US-4757304-\$ or US-5528230-\$).did. or (GB-2290435-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/05/17 17:37
S99	1	S98 and (rf (radio adj frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:38
S98	4	"4754255".pn. "4742327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:38
S97	10	S96 and (rf (radio adj frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:38